


# The Madden-Julian Oscillation





*Gottschalk et al, 2014*

Frédéric Vitart

European Centre for Medium-Range Weather Forecasts


# The Madden-Julian Oscillation (MJO)



From Madden and Julian (1972)


# What is the MJO?

## MJO life cycle



From <http://envam1.env.uea.ac.uk/mjo.htm>

Real-time MJO filtering superimposed upon 7drmm R21 OLR Anomalies  
MJO anomalies blue contours, CNT=10. (5. for forecast)  
Negative contours solid, positive dashed  
31-Mar-2001 to 17-Mar-2003 + 14 days



From  
<http://www.bom.gov.au/bmrc/clf>

# What is the MJO?

- The MJO is a 40-50-day oscillation
- The MJO is a near-global scale, quasi-periodic eastward moving disturbance in the surface pressure, tropospheric temperature and zonal winds over the equatorial belt (4 to 8 m/s). Propagation speed is too slow for the MJO to be a Kelvin wave.
- The Madden-Julian Oscillation (MJO) is the dominant mode of variability in the tropics in time scales in excess of 1 week but less than 1 season.
- The MJO has its peak activity during Northern winter and spring.

## Theories for the onset of an MJO event

- **Local recharge/discharge processes** ( e.g. Hendon 1988, Blade and Hartmann 1993, Hu and Randall 1994...)
- **Upstream effects of circumnavigating waves** ( e.g. Knutson et al 1986, Knutson and Weickmann 1987, Lau and Peng 1987)
- **Stochastic forcing** (Wilson and Mak 1984, Neelin and Yu 1994, Yu and Neelin 1994)
- **Extratropical influences** (e.g. Lau and Peng 1987, Hsu et al 1990, Lin et al 2007, Ray et al 2010, Wedi and Smolarkiewicz 2010..)

# The Madden Julian Oscillation (MJO)


## Why is the MJO so important?

- Impact on the Indian and Australian summer monsoons (Yasunari 1979), Hendon and Liebman (1990)
- Impact on ENSO. Westerly wind bursts produce equatorial trapped Kelvin waves, which have a significant impact on the onset and development of an El-Niño event. Kessler and McPhaden (1995)
- Impact on tropical storms (Maloney et al, 2000; Mo, 2000)
- Impact on Northern Hemisphere weather

# MJO Index


## Combined EOF1

EOF # 1: Variance Accounted for= 12.83%





## Combined EOF2

EOF # 2: Variance Accounted for= 12.17%




Madden and Julian's (1972) schematic





From Wheeler and Hendon, BMRC

# MJO prediction




# Impact of MJO on tropical cyclones




Zhang 2013

# Impact of MJO on Extratropics


a) 110E heating




a) Exp1: days6-10




b) Exp1: days11-15




b) 90E heating + 165E cooling



c) Exp2: days6-10



d) Exp2: days11-15



*Lin et al, MWR 2010*


See also

*Simmons et al JAS 1983*

*Ting and Sardeshmukh JAS 1993*

# Impact of the MJO on Euro-Atlantic weather regimes


- *Simmons et al JAS 1983*
- *Ferranti et al. JAS 1990*
- *Ting and Sardeshmukh JAS 1993*
- *Lin et al, MWR 2010*



Cassou C, 2008: Intraseasonal interaction between the Madden-Julian Oscillation and the North Atlantic Oscillation. *Nature*, **455**, 523-527.

Increased probability of NAO+ (NAO-) following an active phase of the MJO over the Indian Ocean (West Pacific)


# The multi-scale organisation of tropical convection and its two-way interaction with the global circulation.




large scale oscillations interact?

# Impact of MJO on Extratropics

MJO influences on wintertime (December–February) surface air temperature over the United States



# MADDEN-JULIAN OSCILLATION (MJO): GLOBAL IMPACTS



- Atmospheric River
- ❄️ Cold Surges
- Equatorial Waves
- ☔ Extreme Rainfall
- 🔥 Fires
- 🌊 Flood
- ☀️ Heat Waves
- ⚡ Lightning
- ❄️ Sea Ice
- Storm Track
- 🌪️ Tornadoes
- 🌀 Tropical Cyclones


- 🌐 Atmospheric Circulation (AO, AAO)
- 🌊 El Niño-Southern Oscillation (ENSO)
- 🌊 Indian Ocean Dipole (IOD)
- 🌊 InterTropical Convergence Zone (ITCZ)
- 🌊 Monsoons
- 🌊 North Atlantic Oscillation (NAO)
- 🌊 Oceanic Circulation (ITF, WJ, ACC)
- 🌊 Seychelle-Chagos Thermocline Ridge (SCTR)

Not represented on a map: Aerosol, Carbon Dioxide, Earth's Annular Momentum, Electromagnetic Field (Schumann Resonance), Length of the day, Ocean Chlorophyll, Ozone


# MJO Prediction

# MJO forecast skill scores 1999-2010

All Year



Dec-Marc




MJO forecast skill horizon up to 4 weeks


# MJO skill scores

MJO Bivariate Correlation

● 0.5      ● 0.6      ● 0.8




# Evolution of MJO forecast skill scores




The MJO prediction skill of the models from the S2S database has increased since 2015.

# Errors in the Representation of the MJO in S2S models

MJO Amplitude error relative to ERA Interim




MJO Phase error relative to ERA Interim




Vitart, 2017

# Maritime Continent Barrier




# Predicting the Onset of the MJO




Lim et al, 2018

Example: MJO event mid April 2019.  
Forecasts starting 10days before onset



Forecasts with weak MJOs in initial conditions are less skillful

## Impact of ensemble generation




Ensemble forecasts of the MJO are more skillful than an individual ensemble member

# Simulation of the MJO in climate models

- Horizontal resolution: not important
- Vertical resolution: positive impact
- Air-sea coupling: Positive impact but not crucial
- Convection scheme: crucial

# Air-sea Interaction




# Impact of ocean/atmosphere coupling

## MJO Bivariate Correlation

- Uncoupled model has skill in predicting the evolution of the MJO

- Ocean-atmosphere increases significantly the MJO forecasting skill horizon


- Coupled model displays higher skill than atmospheric model forced by observed SSTs




80 cases, starting on 1<sup>st</sup>  
Feb/May/Aug/Nov 1989-2008

# Impact of the QBO?

MJO OLR Variance (DJF ) from reconstruction onto RMM



East waves 1-5 periods 30-80 days





Yoo and Son 2016

## 2 proposed mechanisms for impact on tropical convection

- 1) **Changes in static stability at tropopause:** more stable and lower tropopause in west phase > convection lower (and maybe less top heavy heating profile based on Nie and Sobel 2015)
- 2) **Changes in vertical shear of zonal wind at tropopause:** less shear at tropopause over equatorial IO/West Pac in easterly phase, favors increased convection in easterly phase?

# Impact of the QBO?




5 Figure 4. MJO prediction skill for six models. Light, medium, and Dark bars indicate respectively day when the MJO bivariate correlation reaches 0.5, 0.6, and 0.8

Yoo and Son 2016

S2S models display higher forecast skill during Easterly QBOs than during Westerly QBOs

# MJO teleconnections in S2S models

# Impact on Tropical Cyclone Density (Summer)



Vitart, GRL 2009

# Impact of the MJO on the N. Extratropics

3 pentads after MJO in phase 3

EI 0.48

NAO Index: mean=0,  
std=1.02



BoM 0.15

CMA 0.14

HMCR 0.13

NCEP 0.32

ISAC 0.25











CNRM 0.15

UKMO 0.28

JMA 0.22



ECCC 0.21

ECMWF 0.31



# Impact of the MJO on the NAO


Reliability Diagram – NDJFMA 1989-2008  
Probability of 2-m temperature in the upper tercile  
Day 19-25



**— MJO in IC**      **— NO MJO in IC**

# Issues with Ocean Coupling

## Non linear interactions: North Atlantic SST mean errors impact subseasonal forecast skill




Correcting bias on SST over North Atlantic impacts the skill over Europe by improving MJO/NAO teleconnections


From Vitart and Balmaseda 2018

SST biases in western Atlantic can affect MJO teleconnection pathway

# ENSO Modulation of MJO teleconnections



# ENSO Modulation of MJO teleconnections



Lee et al. 2019


# MJO modulation by ENSO

## Forecasts underestimate the ENSO modulation of MJO-regime interactions

Lee et al. (2019) demonstrated that MJO-regime teleconnections depend on the ENSO background state.

1. Tropospheric teleconnection associated with increased NAO+ frequency following MJO phase 3/4 is stronger during El Niño years but suppressed during La Niña.
2. NAO- events following MJO phase 7/8 occurs later in the MJO phase cycle during La Niña years due to an enhanced stratospheric teleconnection pathway mediated by variations in the strength of the polar vortex.
3. Reforecasts do not reproduce this modulation.

Regime frequency conditioned on ENSO and the phase of the MJO at different lags (1980-2020)



Roberts et al. 2023

# Future Perspectives


- Coupled data assimilation might help improve MJO initialization
- Km-scale resolutions might be an opportunity to improve MJO prediction by removing some errors associated with convective parameterization.
- Machine learning brings opportunities to reduce model errors in the representation of the MJO and possibly produce more skillful MJO forecasts.






# Use of AI/ML method for S2S prediction

## Deterministic AIFS vs IFS (47R3): mean state and biases

Bias score: iabe vs ecmf



Mean absolute bias reduced in AIFS  
 Mean Absolute bias increased in AIFS  
 (max=0.5)



Courtesy C. Roberts and S. Lang



# Conclusions

- MJO is the main source of tropical variability between a week and a season
- Global Impact of the MJO including over Europe. Main source of sub-seasonal predictability.
- MJO prediction: success story – Significant improvement in the prediction of MJO over the past decade. Operational systems show predictive skill up to week 4
- Importance of SST coupling, although not crucial
- MJO activity is modulated by ENSO and QBO
- S2S models struggle to represent MJO teleconnections and their modulation by ENSO adequately.
- Machine Learning methods might help improve sub-seasonal prediction of the MJO and its impacts.